

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"753523".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:00
L2	2	"753523".apn. and (signal\$3 transmission\$1 carrier\$1 wave\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 17:06
L3	2	"6556990".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 17:07
L4	6740	707/7,104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:00
L5	8331	707/6,7,104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:00
L6	168	5 and ((database data?base) and (sub?string substring) and (sort\$3 query\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:04
L7	81	5 and ((database data?base) and ((sub?string substring) SAME (character\$1 letter\$1 alphabet\$1)) and (sort\$3 query\$3 match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:05
L8	62	7 and (index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:05

EAST Search History

L9	9	7 and ((index\$3) WITH column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:11
L10	2	9 AND (string\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:12
L11	2	10 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:18
L12	2	11 and ((creat\$3 mak\$3 new) SAME index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:25
L13	5	8 and (occurrence\$1 same (sub?string substring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 19:27

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

substring and index and sorting

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 325,000 for **substring and index and sorting**. (0.26 seconds)[O'Reilly -- Safari Books Online - 0596001320 - Learning Perl, 3rd ...](#)Strings and **Sorting** > Finding a **Substring** with **index** ... 15.1. Finding a **Substring** with **index**. Finding a **substring** depends on where you have lost it. ...safari.oreilly.com/0596001320/lperl3-CHP-15 - [Similar pages](#)[sorting index - Re: Sorting Index alphabetically](#)Re: **Sorting Index** alphabetically. ... <xsl:key name="first-letter" match="Keyword" use="substring(translate(.,'abcdefghijklmnopqrstuvwxyz' ...www.stylusstudio.com/xsllist/200511/post60660.html - 29k - [Cached](#) - [Similar pages](#)[Re: sorting by date](#)Item[concat(**substring**(Date, 5), **substring**(Date, 3, 2), **substring**(Date, 1, ... Previous, **Index**, Next ->. Re: **sorting** by date, David Carlisle, Thread ...www.stylusstudio.com/xsllist/200107/post71410.html - 34k - [Cached](#) - [Similar pages](#)[\[More results from www.stylusstudio.com \]](#)[Contents](#)**Sorting** using part of the array as a key ... %SUBDT (Extract a Portion of a Date, Time, or Timestamp) · %SUBST (Get **Substring**) ...publib.boulder.ibm.com/infocenter/iseres/v5r3/topic/books_web/c092508502.htm - 70k - [Cached](#) - [Similar pages](#)[ILE C/C++ Run-Time Library Functions - Contents](#)Error Handling · Searching and **Sorting** · Mathematical · Time Manipulation ... strstr() -- Locate **Substring** · strtod() -- Convert Character String to Double ...publib.boulder.ibm.com/infocenter/iadthelp/v6r0/topic/com.ibm.etools.iseries.langref.doc/rzan5mst02.htm - 39k - [Cached](#) - [Similar pages](#)[Re: \[xsl\] Sorting Index alphabetically](#)<xsl:key name="first-letter" match="Keyword" use="substring(translate(... Previous, **Index**, Next ->. RE: [xsl] **Sorting Index** alphabetica, Michael Kay ...www.biglist.com/lists/xsl-list/archives/200511/msg00666.html - 6k - [Cached](#) - [Similar pages](#)[IT Resource Center forums - Substr Question???](#)The oracle optimizer is not going to look at the actual **substr** arguments and realize that the **sorting** order HAPPENS to match the **index sort** order. ...forums1.itrc.hp.com/service/forums/questionanswer.do?threadId=733557 - 55k - [Cached](#) - [Similar pages](#)[Strings and Sorting \(Learning Perl, 3rd Edition\)](#)Finding a **substring** depends on where you have lost it. If you happen to have lost it within a bigger string, you're in luck, because the **index** function can ...www.jimsannex.com/Studies/CD_perl/lperl/ch15_01.htm - 9k - [Cached](#) - [Similar pages](#)[Jeni Tennison - Re: sorting by date](#)Item[concat(**substring**(Date, 5), **substring**(Date, 3, 2), **substring**(Date, 1, ... <xsl:with-param name="Index" select="position()" /> </xsl:call-template> <td ...sources.redhat.com/ml/xsl-list/2001-07/msg01417.html - 11k - [Cached](#) - [Similar pages](#)

Michael Kay - RE: Sorting Question: Muenchian method? Substring in ...
RE: **Sorting** Question: Muenchian method? **Substring** in Key? From: "Michael Kay"
<michael dot h dot kay at ntlworld dot com>; To: <xsl-list at lists dot ...
sources.redhat.com/ml/xsl-list/2002-09/msg01115.html - 8k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

substring and index and sorting and database

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about **409,000** for **substring and index and sorting and database and table**. (0.93 sec)

Contents

Detaching an **Index** from a **Table**-Fragmentation Strategy (IDS) ... Issuing COMMIT WORK in a **Database** That Is Not ANSI Compliant ...

publib.boulder.ibm.com/infocenter/ids9help/topic/com.ibm.sqls.doc/sqls02.htm - 172k -
[Cached](#) - [Similar pages](#)

Contents

Contents. About DB2 Universal **Database** for iSeries **Database** Programming ... Open Query File command: Performance considerations for **sort** sequence **tables** ...

publib.boulder.ibm.com/iseries/v5r2/ic2924/info/dbp/rbafomst02.htm - 50k -
[Cached](#) - [Similar pages](#)

[[More results from publib.boulder.ibm.com](#)]

PHPXRef 0.6 : TikiWiki Release 1.9 : Full Variable **Index**

... **\$substr** Definitions: 7 References: 8; **\$substreamType** Definitions: 2 References: 4 ...

\$table_name Definitions: 5 References: 42; **\$tables** Definitions: 3 ...

de.tikiwiki.org/xref-BRANCH-1-9/_variables/index.html - 1014k - [Cached](#) - [Similar pages](#)

PHPXRef 0.6 : TikiWiki Release 1.9 : Full Function **Index**

... **data_load()** Definitions: 1 References: 1; **database()** Definitions: 1 References: 5 ... **subst**
() Definitions: 1 References: 3; **substring()** Definitions: 1 ...

de.tikiwiki.org/xref-BRANCH-1-9/_functions/index.html - 694k - [Cached](#) - [Similar pages](#)

4 Selecting an **Index** Strategy

When you create an **index** on a **table** that already has data, Oracle **Database** must use **sort** space to create the **index**. The **database** uses the **sort** space in ...

www.stanford.edu/dept/itss/docs/oracle/10g/appdev.101/b10795/adfns_in.htm - 41k -
[Cached](#) - [Similar pages](#)

OOfFile Manual

Cloning a full **table** in RAM ooftst25: Cloning a **sort**-suspended **table** ooftst21 ... oofText -
append **substring** ooftst30; Test **database** generation ...

www.oofile.com.au/oofdoc/features.htm - 55k - [Cached](#) - [Similar pages](#)

oreilly.com -- Online Catalog: MySQL Cookbook

17.3 Displaying Query Results as **Tables** 17.4 Displaying Query Results as Hyperlinks 17.5

Creating a Navigation **Index** from **Database** Content ...

www.oreilly.com/catalog/mysqlckbk/toc.html - 33k - [Cached](#) - [Similar pages](#)

:: JavaScript **table** CodeThatTable enables user to display (within ...

Selective auto-**index** for columns (**index** column when creating for faster performance).

Selective auto-filter for columns. Search at the **table** by **substring** or ...

www.codethat.com/table/ - 20k - [Cached](#) - [Similar pages](#)

#!/usr/bin/perl =head1 NAME B<purge_replication_log> - Purges all ...

@logged_slaves); } die "no entry in **\$table** for connected slave \"\$slave\" ... to find the
earliest logfile. my \$first_log = (**sort** {**substr**(\$b, **index**(\$b, ' ...

mtop.sourceforge.net/utlils/purge_replication_log - 8k - [Cached](#) - [Similar pages](#)

Table of Contents for MySQL CookbookUsing ORDER BY To Sort Query Results 6.2. **Sorting** Subsets of a Table 6.3. ... Creating aNavigation **Index** from **Database** Content 17.6. ...www.kitebird.com/mysql-cookbook/toc-1ed.php - 16k - [Cached](#) - [Similar pages](#)**Google Groups results for substring and index and sorting and database and table**[Generating an Index](#) - microsoft.public.sqlserver.pro ... - Sep 8, 2005[Sorting MySQL queries](#) - php.general - Nov 7, 2006Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

(substring comprising characters) and index a

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about **22,500** for **(substring comprising characters) and index and sorting and data**

oreilly.com -- Online Catalog: MySQL Cookbook

sorting operations, 290-334 **SOURCE**, 23, 24 source loops, 25 special **characters**
database, **table**, and column names, 114 encoding in web output, 762-769 ...
www.oreilly.com/catalog/mysqlckbk/inx.html - 153k - [Cached](#) - [Similar pages](#)

Optimized query interface for database management systems - Patent ...

The production multiple **index** file typically has the same name as the **database** file, but has an .mdx rather than a **database table** (.dbf) file extension. ...
www.freepatentsonline.com/5727196.html - 88k - [Cached](#) - [Similar pages](#)

System and methods for improved sorting - Patent 5615366

In this manner, an **index** for a **database** file is similar to the **index** of a book, ... For a discussion of **sorting** on an international **character** set, ...
www.freepatentsonline.com/5615366.html - 68k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

Character Model for the World Wide Web 1.0: Fundamentals

EXAMPLE: Consider the string **comprising** the **characters** U+23B4 (a Chinese **character** ... on versions of the standard and of the Unicode **Character Database**). ...
www.w3.org/TR/charmod/ - 172k - [Cached](#) - [Similar pages](#)

Character Model for the World Wide Web 1.0

The rows of the following **table** show the string viewed as a **character** string, ... on versions of the standard and of the Unicode **Character Database**). ...
www.w3.org/TR/2003/WD-charmod-20030822/ - 200k - [Cached](#) - [Similar pages](#)
[[More results from www.w3.org](#)]

Extending SQL Functionality in InterBase

input **characters comprising** the SQL statement. ... **table**, the order of join processing, and the creation of **sort** blocks for explicit ORDER BY ...
bdn.borland.com/article/27563 - 109k - [Cached](#) - [Similar pages](#)

[PS] 1 Objectives: 2 Advice

File Format: Adobe PostScript - [View as Text](#)
index into the string **table** where the null terminated C-string holding the identifier's **characters**. **Sorting** algorithms and data structures for ...
www.cs.albany.edu/~sdc/csi333/Files/pr4.ps - [Similar pages](#)

GFF

EXBLX records are single lines **comprising** eight whitespace-delimited fields: (SCORE, ... of a FASTA-format DNA **database** with "n"s (or any other **character**) ...
www.sanger.ac.uk/Software/formats/GFF/index.shtml - 34k - [Cached](#) - [Similar pages](#)

SRFI 13: String Libraries

The German eszet **character** should **sort** as if it were the pair of letters "ss". ... xsubstring returns the **substring** of this string beginning at **index** from ...
srfi.schemers.org/srfi-13/srfi-13.html - 127k - [Cached](#) - [Similar pages](#)

Data access system - Patent 7107260

The data is retrieved from the in-memory **database table** by retrieving stored ... a high speed **index**, data may be sorted based on a user-defined **sort** order, ...
images.freepatentsonline.com/7107260.html - 75k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

(substring comprising characters) an **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

(substring comprising characters) and index and

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about **27,100** for **(substring comprising characters) and index and (sorting OR querying**

[oreilly.com -- Online Catalog: MySQL Cookbook](#)

sorting operations and, 304 SQL pattern **matching** and, 203 summaries and, 354 ...
special **characters database, table,** and column names, 114 ...

[www.oreilly.com/catalog/mysqlckbk/inx.html](#) - 153k - [Cached](#) - [Similar pages](#)

[\[PDF\] Process-annotated Service Discovery facilitated by an n-gram-based ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

particular for **substring matching** [1]. The general idea be- ... mapped to relational **tables**
where they are used for **index-** ...

[wwwhome.cs.utwente.nl/~wombachera/papers/P2005-02.pdf](#) - [Similar pages](#)

[\[PDF\] Indexing Business Processes based on annotated Finite State Automata](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

in particular for **substring matching** for a long time [2]. The ... case of the **index search**
querying the database once is log- ...

[wwwhome.cs.utwente.nl/~wombachera/papers/P2006-06.pdf](#) - [Similar pages](#)

[EP433964 Bull european software patent - Name resolution in a ...](#)

In this regard, and as previously described, the tree **comprising Index 34** is ... initial
characters of each **substring comprising** the personalName field w', ...
[gauss.ffii.org/PatentView/EP433964](#) - 116k - [Cached](#) - [Similar pages](#)

[EP1066570 Sap european software patent - Fast string searching and ...](#)

The <keyHandle> output parameter is the handle for the **matching index** entry. ... Locks
can be granted for single (i.e., fully specified) **database table** ...

[gauss.ffii.org/PatentView/EP1066570](#) - 113k - [Cached](#) - [Similar pages](#)

[SQL Server 7.0: Database Design](#)

For more information about **querying** horizontally partitioned **tables**, see "Scenarios for
Using Views" in Microsoft SQL Server **Database Developer's Companion**. ...

[www.microsoft.com/technet/prodtechnol/sql/70/proddocs/diag/part1/75528c01.mspx](#) - 50k -
[Cached](#) - [Similar pages](#)

[Atlas: A Nested Relational Database System for Text Applications](#)

The indexing subsystem uses the **table's index** specifications to extract **index** terms ...
phrase querying, soundex, case transformations, **substring** searching, ...

[doi.ieeecomputersociety.org/10.1109/69.390250](#) - [Similar pages](#)

[Method and apparatus for detecting and summarizing document ...](#)

The **matching** ordered file **substring** and another ordered file **substring** are ... A sample
string can be a string of **characters comprising** a sentence or a line ...

[www.freepatentsonline.com/6240409.html](#) - 90k - [Cached](#) - [Similar pages](#)

[Registration method and search method for structured documents ...](#)

5, the per-element **character** component **table** and the element length list shown in FIG. ...

The **index** may also be prepared for at least one of any **substring** ...

[freepatentsonline.com/6826567.html](#) - 53k - [Cached](#) - [Similar pages](#)

[Document search method for registering documents, generating a ...](#)

System, method and computer program product for maintaining group hits **tables** and document **index tables** for the purpose of searching through individual ...
www.patentstorm.us/patents/6510425-claims.html - 20k - [Cached](#) - [Similar pages](#)

Google Groups results for (substring comprising characters) and index and (sorting OR querying OR matching) and database and table



[Psychotic's Unix Bible Writen by Virtual Circuit](#) - alt.hackers.malicious - May 1, 2000

[Unix Bible](#) - alt.hackers.malicious - Oct 2, 1999

[My own flood of information \(UNIX support\)](#) - alt.2600 - Apr 30, 1998

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

(substring comprising characters) and (making

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 25,500 for (substring comprising characters) and (making new indexes) and (

[oreilly.com -- Online Catalog: MySQL Cookbook](#)

special **characters database**, **table**, and column names, 114 encoding in web output, ...

new indexes, adding, 394 databases, listing all the **tables** in, 433 ...

[www.oreilly.com/catalog/mysqlckbk/inx.html](#) - 153k - [Cached](#) - [Similar pages](#)

[XSL Transformations \(XSLT\) Version 2.0](#)

A **new** facility, that of named **character** maps (see 20.1 **Character Maps**) is introduced ... A

matching substring is processed using the **xsl:matching-substring** ...

[www.w3.org/TR/xslt20/](#) - [Similar pages](#)

[Character Model for the World Wide Web 1.0: Fundamentals](#)

EXAMPLE: Consider the string **comprising** the **characters** U+23B4 (a Chinese **character** ... on versions of the standard and of the Unicode **Character Database**). ...

[www.w3.org/TR/charmod/](#) - 172k - [Cached](#) - [Similar pages](#)

[SQL Server 7.0: Database Design](#)

By creating a filegroup on a specific disk or RAID (redundant array of independent disks)

device, you can control where **tables** and **indexes** in your **database** ...

[www.microsoft.com/technet/prodtechnol/sql/70/proddocs/diag/part1/75528c01.msp](#)x - 50k -

[Cached](#) - [Similar pages](#)

[EP1066570 Sap european software patent - Fast string searching and ...](#)

The <keyHandle> output parameter is the handle for the **matching index** entry. ... Locks

can be granted for single (i.e., fully specified) **database table** ...

[gauss.ffii.org/PatentView/EP1066570](#) - 113k - [Cached](#) - [Similar pages](#)

[\[PDF\] Atlas: a nested relational database system for text applications ...](#)

File Format: PDF/Adobe Acrobat

the **index** libraries to return **matching** records given the query ... subsystems to create the

required files for the **new table** or. **index**. ...

[ieeexplore.ieee.org/iel3/69/8844/00390250.pdf?isnumber=8844&arnumber=390250](#) -

[Similar pages](#)

[8 Basic Materialized Views](#)

A materialized view is a precomputed **table comprising** aggregated and joined data from ...

If you already have a naming convention for **tables** and **indexes**, ...

[www.stanford.edu/dept/itss/docs/oracle/10g/server.101/b10736/basicmv.htm](#) - 143k -

[Cached](#) - [Similar pages](#)

[Atlas: A Nested Relational Database System for Text Applications](#)

In the absence of prefix **characters**, exact **matching** is the default. ... The indexing

subsystem uses the **table's index** specifications to extract **index** terms ...

[doi.ieeeecomputersociety.org/10.1109/69.390250](#) - [Similar pages](#)

[\[PDF\] Indexing Business Processes based on annotated Finite State Automata](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

in particular for **substring matching** for a long time [2]. The ... case of the **index** search

querying the **database** once is log- ...

[wwwhome.cs.utwente.nl/~wombachera/papers/P2006-06.pdf](#) - [Similar pages](#)

Optimized query interface for **database** management systems - Patent ...

In particular, any **new index** tags created by the query are only ... a query in a **character** field which employs **SOUNDEX matching** or wildcard **matching**. ...

www.freepatentsonline.com/5727196.html - 88k - [Cached](#) - [Similar pages](#)

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google